


METAL PANEL SYSTEMS



- 1 MPS ROOF PANEL
- 2 MPS PANEL CLIP WITH FASTENER
- 3 ONE LAYER OF MPS APPROVED UNDERLAYMENT
- 4 SUITABLE ROOF DECK (BY OTHERS)
- 5 10x1-1/8" ULP PANCAKE HEAD WOOD SCREW, USE 2 PER ZEE CLOSURE
- 6 CONTINUOUS BEAD OF MPS APPROVED SEALANT UP VERTICAL LEG OF ZEE CLOSURE
- 7 POP RIVET AT 12" O,C. TYPICAL
- 8 CONTINUOUS 20 GA. PERFORATED VENT MATERIAL
- 9 ZEE CLOSURE BETWEEN PANEL LEGS, SET IN CONT. MPS APPROVED BUTYL CAULK TAPE
- 10 VENTED PEAK CAP, LAP ENDS MIN. 4" AND USE CONT. MPS APPROVED CAULK AT LAP
- 11 10x1-1/8" ULP PANCAKE HEAD WOOD SCREW AT 12" O.C. STAGGERED
- 12 CONTINUOUS CLEAT, FASTENED AT 20" O.C.
- 13 EXTERIOR BUILDING WALL (BY OTHERS)



Description: VENTED PEAK DETAIL

Detail No.: MPS-VPD1

Substrate: SUITABLE SUBSTRATE

Date: 3/2/2020