





































MPS Color Offerings

** Premium Color*

				
Deep Black SR .27 SRI 25	Matte Black SR .27 SRI 25	Charcoal Gray SR .25 SRI 23	Musket Gray SR .35 SRI 35	Slate Gray SR .38 SRI 38
				
Ash Gray SR .50 SRI 56	Almond SR .61 SRI 72	Bright White SR .68 SRI 81	Bone White SR .68 SRI 81	Stone White SR .66 SRI 77
				
Cityscape SR .45 SRI 51	Extra DK Bronze SR N/A SRI N/A	Sandstone SR .60 SRI 69	Sierra Tan SR .46 SRI 50	Medium Bronze SR .31 SRI 31
				
Mansard Brown SR .26 SRI 25	Burnished Slate SR .25 SRI 33	Dark Bronze SR .28 SRI 27	Hartford Green SR .27 SRI 25	Classic Green SR .31 SRI 30
				
Hemlock Green SR .31 SRI 31	Teal SR .28 SRI 27	Slate Blue SR .33 SRI 33	Royal Blue SR .27 SRI 26	Regal Red SR .39 SRI 41
				
Colonial Red SR .33 SRI 35	Burgundy SR .27 SRI 26	Terra Cotta SR .42 SRI 45	Aged Copper * SR .27 SRI 26	Vintage * SR .30 SRI 22
				
Western Rust * SR .24 SRI 23	Copper Penny * SR .44 SRI 48	Weathered Zinc * SR .38 SRI 41	Silver * SR .56 SRI 63	Champagne * SR .47 SRI 51
				
Acrylic Coated Galvalume SR N/A SRI N/A				

-> See back for availability

A 35-year PVDF covers performance criteria including color- fastness, fade, chalk, and film integrity. (30-year on SMP)

Colors shown represent the actual colors as accurately as modern printing technology will permit.

Solar Reflectivity (SR): Solar reflectivity or reflectance is the measure of a material's ability to reflect solar energy or sunlight from its surface. SR values are numbered 0 to 1.0. A value of 0 indicates that the surface absorbs all solar energy and a value of 1.0 indicates total reflectance.

Solar Reflectance Index (SRI): The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. To meet LEED requirements, a roofing material must have an SRI of 29 or greater for steep slope roofing and an SRI value of 78 or higher for low slope roofing.

Oil canning is an inherent part of light gauge cold-formed metal products and is not cause for coil, sheet or panel rejection.

Protective film must be removed during installation.

Coated with **Dura Coat Durapon** 70% full strength PVDF paint finishes formulated with Cool technology.

Additional standard and custom colors are available with minimum order requirements

Stock Availability Matrix

Color Name	ULTRA-COOL RATINGS		G90 Galvanized/AZ50 Galvalume			
	Reflect	SRI	22 ga.	24 ga.	26 ga.	26 ga. 3D
Acrylic Coated Galvalume	N/A	N/A	●	●	●	
Aged Copper	26.8%	26		●		
Almond	61.4%	72	●	●	●	
Ash Gray	49.8%	56		●	●	
Bone White	67.6%	81	●	●	●	
Bright White	67.8%	81		●		
Burgundy	27.1%	26		●	●	●
Burnished Slate	25.1%	33		●	●	●
Champagne	47.2%	51		●		
Charcoal Gray	25.3%	23	●	●	●	●
Cityscape	45.2%	51		●		
Classic Green	30.5%	30		●	●	●
Colonial Red	33.2%	35		●	●	●
Copper Penny	43.9%	48		●	●	
Dark Bronze	27.7%	27	●	●	●	●
Deep Black	26.7%	25	●	●	●	
Extra Dark Bronze	N/A	N/A		●		
Hartford Green	27.1%	25	●	●	●	●
Hemlock Green	31.1%	31		●		
Mansard Brown	26.0%	25	●	●	●	●
Matte Black	26.8%	25	●	●	●	●
Medium Bronze	30.9%	31	●	●	●	●
Musket Gray	34.8%	35		●	●	●
Regal Red	38.5%	41		●	●	
Royal Blue	26.8%	26		●	●	
Sandstone	59.7%	69	●	●		
Sierra Tan	45.8%	50	●	●	●	●
Silver	55.6%	63		●		
Slate Blue	32.8%	33		●	●	
Slate Gray	37.5%	38	●	●	●	●
Stone White	65.6%	77		●		
Teal	27.9%	27		●		
Terra Cotta	41.9%	45		●	●	●
Vintage	30.0%	22		●		
Weathered Zinc	38.3%	41		●		
Western Rust	24.0%	23		●		

This color sample card represents the best available technology to match actual steel finishes. For true color representation, please request actual metal samples through your Metal Panel Systems sales and service representative.

Contact your sales representative for additional information on stocking, availability, lead times, and minimum volume commitments on non-stock colors.