Description:

BOX RAKE WITH SOFFIT AND FASCIA DETAIL

Substrate: SUITABLE SUBSTRATE

Detail No.: MPS-BRD4

Date: 7/21/26

METAL PANEL SYSTEMS
GAUGES ABOVE



1. FASCIA CLEAT, FASTENED 12" O.C. WITH MPS APPROVED FASTENERS
2. FASCIA COVER, 4" END LAP WITH A CONTINUOUS BEAD OF MPS APPROVED SEALANT IN THE LAP, FASTENED 12" O.C. WITH MPS APPROVED FASTENERS
3. RAKE CLEAT, FASTENED 12" O.C. WITH MPS APPROVED FASTENERS
4. BOX RAKE, 4" END LAP WITH A CONTINUOUS BEAD OF MPS APPROVED SEALANT IN THE LAP
5. FASCIA BOARD NOT BY MPS
6. ONE LAYER OF MPS EPISTIK UNDERLAYMENT ALL OVER ROOF AND BEHIND ALL METAL FLASHINGS
7. C-CHANNEL, 4" END LAP WITH A CONTINUOUS BEAD OF MPS APPROVED SEALANT IN THE LAP, FASTENED 12" O.C. WITH MPS APPROVED FASTENERS
8. AN ADDITIONAL LAYER OF MPS EPISTIK UNDERLAYMENT AT MINIMUM OF 9" TO STRIP IN BOX RAKE
9. MPS APPROVED FASTENERS(#10 X 1-$\frac{1}{8}$" ULP PANCAKE HEAD WOOD FASTENER IS SHOWN)
10. SUITABLE DECKING NOT BY MPS
11. HAT CHANNEL NOT BY MPS
12. MPS FLUSH PANEL, FASTENED THROUGH FLANGE AT 24" O.C. WITH MPS APPROVED FASTENERS
13. MPS METAL PANEL(MP-200 IS SHOWN)
14. MPS PANEL CLIPS(MP-200 CLIP IS SHOWN)