Description:	Detail No.:
RAKE WITH WALL PANEL DETAIL	MPS-RD5
	Date: 7/21/26
Substrate: SUITABLE SUBSTRATE	

METAL PANEL SYSTEMS
GAUGES ABOVE



1. BRICK FACADE NOT BY MPS
2. SILL FLASHING, 4" END LAP WITH A CONTINUOUS BEAD OF MPS APPROVED SEALANT IN THE LAP, FASTENED 12" O.C. WITH MPS APPROVED FASTENER
3. BUILDING WRAP NOT BY MPS
4. MPS VERTICAL WALL PANEL
5. SUITABLE WALL DECKING NOT BY MPS
6. MPS APPROVED FASTENERS(#10 X 1-$\frac{1}{8}$" ULP PANCAKE HEAD WOOD FASTENER IS SHOWN)
7. RAKE, 4" END LAP WITH A CONTINUOUS BEAD OF MPS APPROVED SEALANT IN THE LAP, FASTENED 6" O.C. WITH MPS APPROVED FASTENERS
8. J-CHANNEL, 4" END LAP WITH A CONTINUOUS BEAD OF MPS APPROVED SEALANT IN THE LAP, FASTENED 12" O.C. WITH MPS APPROVED FASTENERS
9. MPS METAL PANEL(MP-200 IS SHOWN) REMOVE PANEL LEG AND FIELD FORM THE PANEL AROUND RAKE EDGE
10. AN ADDITIONAL LAYER OF MPS EPISTIK UNDERLAYMENT AT MINIMUM OF 9" TO STRIP IN RAKE EDGE
11. SUITABLE WOOD DECKING NOT BY MPS
12. ONE LAYER OF MPS EPISTIK ALL OVER ROOF AND BEHIND ALL METAL FLASHINGS
13. MPS PANEL CLIPS AND APPROVED FASTENERS (MP-200 CLIP IS SHOWN)